


**50th ANNUAL
HIGHWAY GEOLOGY SYMPOSIUM
& TRB Karst Meeting**

PROCEEDINGS & FIELD TRIP GUIDE

**May 20th – 23rd, 1999
The Hotel Roanoke & Conference Center
Roanoke, Virginia**



sponsored by

Radford University
Department of Geology / Institute for Engineering Geosciences
Virginia Department of Mines, Minerals and Energy
Division of Mineral Resources
Virginia Department of Transportation



CONTENTS

Steering Committee Officers -----	i
National Steering Committee 1999 -----	ii
Medallion Award Winners -----	v
Emeritus Members of the Steering Committee -----	vi
Future Schedule -----	vii
Preface -----	viii
Welcome to Virginia, Stanley S. Johnson -----	xi
Activities -----	xv
Program -----	xvi
Exhibitors, Hosts, and Sponsors -----	xix
Proceedings Papers, in order of Presentation -----	1
Field Trip: Geologic and Engineering Challenges in Southwest Virginia -----	365
Appendix -----	388

**HIGHWAY GEOLOGY SYMPOSIUM
STEERING COMMITTEE OFFICERS**

Mr. Earl Wright, Chair **1999**
Engineering Geology Section Supervisor
Geotechnical Branch
Division of Materials
Department of Highways
Transportation Cabinet
Frankfort, Kentucky 40622
PH: 502-564-2374

Mr. Robert W. Henthorn, Vice Chair **2000**
Kansas Department of Transportation
Box 498
411 W. 14th Street
Chanute, Kansas 66720-0498
PH: 316-431-1000 Ext. 47

Mr. G. Michael Hager, Secretary **2000**
Wyoming Transportation Dept.
P.O. Box 1708
Cheyenne, Wyoming 82003-1708
PH: 307-777-4475

Mr. Russell Glass, Treasurer **Appointed by Chairman**
Area Geologist
Geotechnical Unit
North Carolina Department of Transportation
Asheville, North Carolina 28802
PH: 828-298-3874

**NATIONAL STEERING COMMITTEE 1999
HIGHWAY GEOLOGY SYMPOSIUM**

NAME/ADDRESS

PHONE/FAX/E-MAIL

**Ken Ashton
West Virginia Geological Survey
P.O. Box 879
Morgantown, WV 26507-0879**

**PH 304-594-2331
FX 304-594-2575
E-MAIL ASHTON@geosrv.wvnet.edu**

**John Baldwin
West Virginia Div. of Highways
312 Michigan Ave.
Charleston, WV 25311**

**PH 304-558-3084
FX 304-558-0253
E-MAIL jbaldwin@mail.dot.state.wv.us**

**Vernon Bump
South Dakota DOT
Geotech. Engr. Activity
700 E. Broadway Ave.
Pierre, SD 57501-2586**

**PH 605-773-3401
FX 605-773-5867
E-MAIL vern.bump@state.sd.us**

**Richard Cross
New York State Thruway Authority
200 Southern Blvd.
P.O. Box 189
Albany, NY 12201-0189**

**PH 518-471-4277
FX 518-436-3096
E-MAIL cross-r@eng.nystwy.com**

**Jeff Dean
Oklahoma DOT
200 NE 21ST St.
Oklahoma City, OK 73015**

**PH 405-521-2677
FX 405-522-0552
E-MAIL JeffDean ODOT@fd9n01.okladot.state.ok.us**

**Russell Glass
North Carolina DOT
Geotechnical Section
P.O. Box 3279
Asheville, NC 28802**

**PH 704-298-3874
FX 704-299-1273
E-MAIL rglass@dot.state.nc.us**

**Robert Goddard
National High Magnetic Field Lab
Florida State University
1800 E. Paul Dirac Dr.
Tallahassee, FL 32306-4005**

**PH 850-644-4304
FX 850-644-0687
E-MAIL goddard@magnet.fsu.edu**

**G. Michael Hager
Wyoming DOT
P.O. Box 1708
Cheyenne, WY 82003-1708**

**PH 307-777-4205
FX 307-777-3994
E-MAIL Mhager@missc.state.wy.us**

**NATIONAL STEERING COMMITTEE
HIGHWAY GEOLOGY SYMPOSIUM 1999**

NAME/ADDRESS

PHONE/FAX/E-MAIL

**Robert W. Henthorne
Kansas DOT
P.O. Box 498
411 W. 14TH St.
Chanute, KS 66720-0498**

**PH 316-431-1000 EXT 47
FX 316-431-6946
E-MAIL roberth@dttdist4.wpo.state.ks.us**

**Richard Humphries
Golder Associates
3730 Chamblee Tucker Rd.
Atlanta, GA 30341**

**PH 770-496-1893
FX 770-934-9476
E-MAIL rhumphries@Golder.com**

**Harry Ludowise
6308 NE. 12TH Ave.
Vancouver, WA 98665**

**PH 206-693-1617
FX 360-696-7842
E-MAIL vusas@teleport.com**

**A. David Martin
Maryland DOT
Office of Materials & Research
2323 W. Joppa Road
Brooklandville, MD 21022**

**PH 410-321-3107
FX 410-321-3099
EMAIL dmartin@sha.state.md.us**

**Henry Mathis, PE
Mathis Geotechnical Consulting, Inc.
561 Marblerock Way
Lexington, KY 40503**

**PH 606-296-5664 Home: 606-223-8632
FX 606-296-5664
E-MAIL hmathis@iglou.com**

**Harry Moore
Tennessee DOT
P.O. Box 58
Knoxville, TN 37901**

**PH 423-594-9436
FX 423-594-9310
E-MAIL hmoore@mail.state.tn.us**

**Christopher A. Ruppen
Michael Baker Jr. Inc.
4301 Dutch Ridge Rd.
Beaver, PA 15009-9600**

**PH 724-495-4079
FX 724-495-4017
E-MAIL cruppen@mbakercorp.com**

**Steve Senior
Ministry of Transportation, Ontario
1201 Wilson Ave.,
Rm 220, Cent bldg.
Downsview, ON M3M 1J6
Canada**

**PH 416-235-3743
FX 416-235-4101
E-MAIL senior@mto.gov.on.ca**

**NATIONAL STEERING COMMITTEE
HIGHWAY GEOLOGY SYMPOSIUM, 1999**

NAME/ADDRESS

PHONE/FAX/E-MAIL

**Willard L. Sitz
Alabama DOT
1409 Coliseum Blvd.
Montgomery, AL 36110-2060**

**PH 334-206-2279
FX 334-264-6263
E-MAIL sitzw@dot.state.al.us**

**Jim Stroud
Vulcan Materials Co.
4401 N. Patterson Ave.
P.O. Box 4239
Winston-Salem, NC 27115**

**PH 336-767-4600
FX 336-744-2019
E-MAIL stroudj@vmcmail.com**

**Steven E. Sweeney
New York State Thruway Authority
200 Southern Blvd.
Albany, NY 12209**

**PH 518-471-4378
FX 518-436-3060
E-MAIL steve_sweeney@thruway.state.ny.us**

**Robert Thommen
Brugg Cable Products, Inc.
RR 31, Box 197E, 11 E. Frontage Rd.
Santa Fe, NM 87505**

**PH 505-438-6161
FX 505-438-6166
E-MAIL geobrugg@aol.com**

**Sam I. Thornton
3712 Hwy. 112 N.
Fayetteville, AR 72704**

**PH 501-521-1331
FX 501-521-0429
E-MAIL samthornton@earthlink.net**

**Michael P. Vierling
New York State DOT
State Office Building Campus
Bldg. 7, Rm. 106
1220 Washington Ave.
Albany, NY 12232**

**PH 518-457-4727
FX 518-457-8080
E-MAIL mvierling@gy.dot.state.ny.us**

**Skip Watts
Institute for Engineering Geosciences
Radford University
Radford VA 24142**

**PH 540-831-5637
FX 540-831-5732
E-MAIL cwatts@runet.edu**

**Terry West
Earth and Atmospheric Science Dept.
Purdue University
West Lafayette, IN 47907-1297**

**PH 765-494-3296
FX 765-496-1210
E-MAIL trwest@omni.cc.purdue.edu**

NATIONAL STEERING COMMITTEE HIGHWAY GEOLOGY SYMPOSIUM, 1999

W. A. Wisner
Martin Marietta Aggregates
P.O. Box 30013

PH 919-783-4649
FX 919-783-4552
E-MAIL Raleigh, NC 27622

Earl Wright
Kentucky Dept. of Highways,
Geotech Branch
1236 Wilkinson Blvd.
Frankfort, KY 40601-1200

PH 502-564-2374
FX 502-564-4839
E-MAIL ewright@mail.kytc.state.ky.us

HIGHWAY GEOLOGY SYMPOSIUM MEDALLION AWARD WINNERS

The Medallion Award is presented to individuals who have made significant contributions to the Highway Geology Symposium over many years. The award, instituted in 1969, is a 3.5-inch medallion mounted on a walnut shield and appropriately inscribed. The award is presented during the banquet at the annual Symposium.

Hugh Chase*	-	1970
Tom Parrott*	-	1970
Paul Price*	-	1970
K. B. Woods*	-	1971
R. J. Edmonson*	-	1972
C. S. Mullin*	-	1974
A. C. Dodson*	-	1975
Burrell Whitlow*	-	1978
Bill Sherman	-	1980
Virgil Burgat*	-	1981
Henry Mathis	-	1982
David Royster*	-	1982
Terry West	-	1983
Dave Bingham	-	1984
Vernon Bump	-	1986
C. W. "Bill" Lovell	-	1989
Joseph A. Gutierrez	-	1990
Willard McCasland	-	1990
W. A. "Bill" Wisner	-	1991
David Mitchell	-	1993
Harry Moore	-	1996
Earl Wright	-	1997
Russell Glass	-	1998

*Deceased

**HIGHWAY GEOLOGY SYMPOSIUM
EMERITUS MEMBERS OF THE STEERING COMMITTEE**

Emeritus Status is granted by the Steering Committee.

R. F. Baker*
David Bingham
Virgil E. Burgat*
Robert G. Charboneau*
Hugh Chase*
A. C. Dodson*
Walter F. Fredericksen
Joseph Gutierrez
Charles T. Janik
John Lemish
George S. Meadors, Jr.*
Willard McCasland
David Mitchell
W. T. Parrot*
Paul Price*
David L. Royster*
Bill Sherman
Mitchell Smith
Berke Thompson*
Burrell Whitlow*
Ed J. Zeigler

*Deceased

HIGHWAY GEOLOGY SYMPOSIUM

FUTURE SCHEDULE

<u>YEAR</u>	<u>ANNUAL</u>	<u>LOCATION</u>	<u>COORDINATORS</u>
2000	51 st	Washington	Prof. Robert Holtz Univ. of Washington & Steven Lowell Washington DOT
2001	52 nd	TBD	
2002	53 rd	California	John Duffy CALTRANS (805) 549-3663
2003	54 th	TBD	
2004	55 th	Minnesota	Chuck Howe Minnesota MDOT (612) 779-5602
2005	56 th	Vermont	Tom Eliassen Vermont DOT (802) 828-2561

PREFACE

W. T. Parrott, a long time geologist with the Virginia Department of Transportation, was instrumental in organizing the first Highway Geology Symposium in 1950. In recognition of Tom Parrott's contribution to the Annual Highway Geology Symposium, the following short paper is reprinted from the October 1957 issue of "Virginia Minerals".

THE GEOLOGIST'S ROLE IN HIGHWAY ENGINEERING

W. T. PARROTT, Highway Geologist
Virginia Department of Highways

The role of the geologist in highway engineering is not new, but within the past 20 years the use of geology in the field of highway construction has been steadily increasing. As far back as 1898 the Maryland Highway Division was a part of the Maryland Geological Survey, but in 1910 the Maryland State Roads Commission incorporated the highway division into its organization. In 1955, Dr. J. T. Singewald, Jr., Director, Maryland Department of Geology, Mines and Water Resources, sent a questionnaire to the Association of American State Geologists, requesting information on the employment of geologists by their respective highway departments. The replies indicated that 23 highway departments employed from 1 to 10 geologists. This questionnaire also revealed that Ohio was the first State, 1914, to employ a geologist in its highway department, and that the first highway geological section was established in 1923 by Missouri. On January 1, 1947, the Virginia Department of Highways established a geological section within the Testing Division, with the writer as the highway geologist. Since then, the staff has been increased to eight geologists.

The duties of a highway geologist are numerous; however, an analysis of the work done by a highway geological section and that done by a geological survey shows that there is no duplication or competition. The function of a state highway department is to build and maintain highways and necessary structures. The construction materials are geologic in origin and the structures rest on geologic foundations. The more costly the road and more exacting the traffic requirements, the more essential it is to use geologic knowledge in the design and construction of the highway.

The functions of a highway geologist are:

1. To locate stone quarries and sand and gravel pits
2. To conduct local or statewide surveys for aggregate
3. To supervise core drilling and interpret core drill data
4. To make geophysical surveys, either seismic or electrical resistivity
5. To make vibration studies in connection with potential blast damage
6. To investigate slides or areas of potential sides and suggest either preventive or remedial measures
7. To assist in design of slopes and benches
8. To investigate alleged blast damage to wells, springs and dwellings

9. To act as a expert witness in litigation
10. To instruct engineer trainees in refresher courses in general geology.

An examination of these primary functions will show what specific knowledge is required and that a specially trained geologist, preferably one with some engineering experience, is needed to appraise accurately the existing conditions. Such training is gained by experience or a course in engineering geology.

In the location of a quarry, the most important items are the quantity, quality, and availability of the stone. Generally, the most important physical properties of good highway aggregate are low abrasion loss, freedom from injurious minerals, and affinity for bituminous material. Depending on the purpose for which the stone is to be used, an abrasion loss up to 43% is acceptable for most primary construction and maintenance work. Almost all granite, granite gneiss, limestone, dolomite, basalt, and greenstone will meet these specifications. Aggregates that contain a high percentage of mica, chlorite, or talc will give a poor bond with bituminous material and their adhesive qualities in various bituminous mixes should be predetermined by laboratory tests.

In conducting an aggregate survey for either a specific project or on a statewide basis, a comprehensive knowledge of the previously mentioned physical properties of the stone is necessary so that the material selected will meet specifications. In this manner, the geologist assists the engineer in locating the materials that are available nearest the project, thus eliminating long hauls and reducing the cost of the project.

Superficial rod soundings for bridges have been replaced by detailed exploration by core drills, and probably one of the biggest jobs of the highway geologist is correlating and interpreting core drill data. In rock, the core drilling entails the cutting of a rock core, which is examined for fractures, mineral content, and degree of weathering. In unconsolidated materials, samples of sand, clay, or gravel are taken and examined for moisture content and degree of plasticity, and the resistance the materials offered to drill casing or sampling spoon is noted. Once these data are obtained, an accurate appraisal of the results by the geologist gives a picture of the subsurface conditions to the bridge designer and

a bridge can be designed for the best as well as the worst, conditions that may be encountered, with substantial savings in the design.

Geophysical advances that have aided the geologist and the engineer are electrical and seismic subsurface surveys. The old method of estimating the amount of rock and soil which may be encountered has given way to the more accurate determination by either resistivity or seismic methods. Both of these methods are used by state highway departments. The seismic method is a small scale utilization of the reflection principle which is used by oil companies in exploratory work. A small charge of dynamite is exploded, setting up seismic waves, which are recorded on special instruments placed a various distance from the shot point. The interval between time of shot and arrival of the seismic waves at recording stations is measured and the velocity of waves determined. Because various materials transmit the waves at different velocities, this information is used with the known geology of the region to interpret the subsurface conditions. The electrical resistivity method is probably more popular because it requires less equipment, eliminates the danger from explosives, and affords greater portability. This method measures the resistance that material will offer a given amount of electrical current. By correlating this information with the known geology, aided by one or two test holes, a very accurate rock-soil profile can be developed. From cross sections drawn of the proposed construction, the highway designer can calculate the over-all amount of cut and fill he may have in a given area; however, with the rock-soil profile, it is possible to determine the amount of rock available for the base of the fill and the amount of material available for capping or for borrow purposes. The Virginia Department of Highways has been using the resistivity method since 1950, and predictions based on this rock-soil profile have averaged 98 percent correct as proved by actual construction.

One of the greatest bugbears with which a highway department may be faced is an enormous number of claims from property owners who live in areas adjacent to construction limits, that their wells, springs, or dwellings have been injured by blasting during construction. Vibration studies have come to the aid of the engineers in such cases. In the past, the determination of alleged damage has been based on personal observation and the reports of the people on the construction project and of the property owners. However, there was rarely concrete evidence, except in a few cases, that would support the contention of either side. Within the past few years the development of an instrument for the measurement of vibration and the acceleration of shock waves through the earth and rock has gone far to eliminate potential court cases, as well as substantiate the claims of the state or property owner. In fact, the science of vibration study is rapidly developing a branch of specialists who can render great aid to any individual or corporation faced with potential blast damage. The use of these experts, plus their

recording machine, has, in at least two cases, saved the state and the taxpayers thousands of dollars in refuting the claims of private individuals who claimed that their property had been damaged. With the expanding use of these instruments it is believed that virtually all claims will be placed on a scientific basis and each can be decided upon its own merits.

One of the natural phenomena that can be very time consuming to the highway geologist is landslides and rock falls. Contrary to popular opinion, a landslide need not be a catastrophic occurrence, but may take the form of relatively small amounts of rock and earth that plague the highway engineers in either old or new construction. It is the duty of the highway geologist to inform the design engineer of any area that offers a slide potential and to suggest preventive measures which would eliminate or at least reduce the danger of slides. Once a slide has occurred, it is also the highway geologist's duty to suggest remedial measures which will prevent future slides. Some of these measures are benching, flattening the slope, stabilizing the area by vegetation, and last, but far from least, is proper drainage. In some instances vertical sand drains, which are drill holes filled with sand to remove excess moisture, are used. Grouting is also used: that is, a mixture of sand, water and cement is pumped into the ground and the mixture, or grout, forces out excessive moisture and occupies the former voids. Upon setting, the grout binds the soil together and prevents water from entering the area treated. In grouting as area, adequate provision must be made for escape of ground water; otherwise, the building of hydrostatic pressure may wreck all efforts to control the slide.

With the inauguration of the new federal highway program, the proper design of slopes and benches that will conform to the standards of the Federal specifications has increased the work of the highway geologist. Each of these cases is an individual one and the benching and sloping must be tailored to suit the existing conditions.

Another facet of the highway geologist's duties is that of acting as an expert witness in litigation between property owners or contractors and the state. Any of the aforementioned functions may be used as a basis of litigation, and the testimony of the geologist may lead to a favorable judicial decision. The two subjects on which the highway geologist is called upon to testify most frequently are damage to water supplies and dwellings.

A very important function of the highway geologist is to offer a short refresher course in general geology to engineer trainees. Most of these men have had at least one course in general geology while in college, but it is a duty of the geologist to point out the more special aspects of geology as applied to highway engineering. In this course the young engineer learns that geology is another tool with which the adverse conditions and agents of nature may be more successfully controlled. Within the past ten years, at least 100 or more engineer trainees have been given this refresher course.

